


508 N Peters Ave, Norman, OK 73069-7251

Report: 35224729



In this 3D model, facets appear as semi-transparent to reveal overhangs.

## PREPARED FOR

Contact: Troy Hardiman  
 Company: Alva Roofing  
 Address: 14200 N Lincoln  
 Edmond, OK 73013  
 Phone: 405-752-8739

## TABLE OF CONTENTS

Images .....	1
Length Diagram .....	4
Pitch Diagram .....	5
Area Diagram .....	6
Notes Diagram.....	7
Report Summary.....	8

## MEASUREMENTS

Total Roof Area =3,277 sq ft  
 Total Roof Facets =66  
 Predominant Pitch =12/12  
 Number of Stories >1  
 Total Ridges/Hips =298 ft  
 Total Valleys =93 ft  
 Total Rakes =122 ft  
 Total Eaves =387 ft

Measurements provided by [www.eagleview.com](http://www.eagleview.com)



Certified Accurate

[www.eagleview.com/Guarantee.aspx](http://www.eagleview.com/Guarantee.aspx)

508 N Peters Ave, Norman, OK 73069-7251

Report: 35224729

## IMAGES

The following aerial images show different angles of this structure for your reference.

Top View






508 N Peters Ave, Norman, OK 73069-7251


Report: 35224729

## IMAGES

North Side




South Side



## IMAGES

East Side



West Side





# LENGTH DIAGRAM

Total Line Lengths:

**Ridges = 82 ft**
**Hips = 216 ft**

Valleys = 93 ft


Rakes = 122 ft

Eaves = 387 ft

Flashing = 62 ft

Step flashing = 145 ft


Parapets = 0 ft



Note: This diagram contains segment lengths (rounded to the nearest whole number) over 5.0 Feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).

# PITCH DIAGRAM


Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 12/12



Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater. Gray shading indicates flat, 1/12 or 2/12 pitches. If present, a value of "F" indicates a flat facet (no pitch).

## AREA DIAGRAM

Total Area = 3,277 sq ft, with 66 facets.



Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).





## REPORT SUMMARY

### All Structures

Areas per Pitch								
Roof Pitches	0/12	3/12	6/12	8/12	12/12	22/12	34/12	36/12
Area (sq ft)	62.3	783.7	155.4	428.2	1714.6	90.1	31.4	11.1
% of Roof	1.9%	23.9%	4.7%	13.1%	52.3%	2.7%	1%	0.3%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

### Structure Complexity

Simple

Normal

Complex

### Waste Calculation


NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	0%	10%	15%	20%	23%	25%	27%	30%	35%
Area (Sq ft)	<b>3215</b>	3537	3698	3858	3955	<b>4019</b>	4084	4180	4341
Squares *	<b>32.33</b>	35.66	37.00	38.66	39.66	<b>40.33</b>	41.00	42.00	43.66
	Measured					Suggested			

\* Squares are rounded up to the 1/3 of a square

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.

### All Structures Totals



Total Roof Facets = 66

#### Lengths, Areas and Pitches

Ridges = 82 ft (8 Ridges)  
 Hips = 216 ft (19 Hips).  
 Valleys = 93 ft (13 Valleys)  
 Rakes† = 122 ft (24 Rakes)  
 Eaves/Starter‡ = 387 ft (54 Eaves)  
 Drip Edge (Eaves + Rakes) = 509 ft (78 Lengths)  
 Parapet Walls = 0 (0 Lengths).  
 Flashing = 62 ft (29 Lengths)  
 Step flashing = 145 ft (36 Lengths)  
 Predominant Pitch = 12/12  
**Total Area (All Pitches) = 3,277 sq ft**

#### Property Location

Longitude = -97.4446941  
 Latitude = 35.2254998

#### Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

† Rakes are defined as roof edges that are sloped (not level).

‡ Eaves are defined as roof edges that are not sloped and level.

508 N Peters Ave, Norman, OK 73069-7251

Report: 35224729

**Online Maps**

Online map of property

[http://maps.google.com/maps?f=q&source=s\\_q&hl=en&geocode=&q=508+N+Peters+Ave,Norman,OK,73069-7251](http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=508+N+Peters+Ave,Norman,OK,73069-7251)

Directions from Alva Roofing to this property

[http://maps.google.com/maps?f=d&source=s\\_d&saddr=14200+N+Lincoln,Edmond,OK,73013&daddr=508+N+Peters+Ave,Norman,OK,73069-7251](http://maps.google.com/maps?f=d&source=s_d&saddr=14200+N+Lincoln,Edmond,OK,73013&daddr=508+N+Peters+Ave,Norman,OK,73069-7251)